

**DOOR SPECIFICATION**

Steel doorsets **DFM DS** feature innovative design and robust construction. Door leaf is constructed of 2 steel skins 0.75mm with thick rebate on edges and rockwool infill 120 kg/m<sup>3</sup>. Door frame is made of tailored aluminum profile 3mm, cornertype design.

**DOOR SIZES**

Size of doors **DFM DS 60-2** within frames:

- width: 1915 mm ÷ 3955 mm
- height: 3000 mm ÷ 4010 mm

**TECHNICAL PARAMETERS ACC. TO:**

Fire resistance class: EI,60  
 Mechanical durability: class C2 acc. to EN 13501+A1:2016, EN 16034

**STANDARD EQUIPMENT**

**Standard equipment:**

- Mortise latch and bolt lock,
- Set of stainless steel U-form handles on long shields,
- DIN eurocylinder and 3 standard keys,
- 3 or 4 pcs of stainless steel hinges (depends on dimensions),
- 4 pcs of safety pins,
- Fire resistant intumescent gasket and rubber gasket,
- Powder coating to RAL,


**Optional equipment:**

- Ventilation grill (size: 400x400mm)
- Glazing (min. size: 450x795mm; max. size: 600x1060mm)

**CERTIFICATE**

Certificate of constancy of performance 1396-CPR-0130

**DRAWINGS**



**DOOR SPECIFICATION**

Steel doorsets **DFM DS** feature innovative design and robust construction. Door leaf is constructed of 2 steel skins 0.75mm with thick rebate on edges and rockwool infill 120 kg/m<sup>3</sup>. Door frame is made of tailored aluminum profile 3mm, embracing type design.

**DOOR SIZES**

Size of doors **DFM DS 60-2** within frames:

- width: 1915 mm ÷ 3955 mm
- height: 3000 mm ÷ 4010 mm

**TECHNICAL PARAMETERS ACC. TO:**

Fire resistance class: EI,60  
Mechanical durability: class C2 acc. to EN 13501+A1:2016, EN 16034

**STANDARD EQUIPMENT**

**Standard equipment:**

- Mortise latch and bolt lock,
- Set of stainless steel U-form handles on long shields,
- DIN eurocylinder and 3 standard keys,
- 3 or 4 pcs of stainless steel hinges (depends on dimensions),
- 4 pcs of safety pins,
- Fire resistant intumescent gasket and rubber gasket,
- Powder coating to RAL,

**Optional equipment:**

- Ventilation grill (size: 400x400mm)
- Glazing (min. size: 450x795mm; max. size: 600x1060mm)

**CERTIFICATE**

Certificate of constancy of performance 1396-CPR-0130

**DRAWINGS**

